





## FT. PISTOL TYPICAL DESIGN DRAWINGS FOR ELECTRONIC SECURITY SYSTEM


Prepared by: U.S. Army Corps of Engineers IDS Mandatory Center of Expertise Huntsville Division Electronic Technology















































IGLOO LONGTITUDINAL ELEVATION NOT TO SCALE





IGLOO HEADWALL ELEVATION
NOT TO SCALE





IGLOO IDS PLAN
NOT TO SCALE
















ADMINISTRATION BUILDING AND WAREHOUSE IDS EQUIPMENT




















ZONE NUMBER				4						3			2				U.S. ARI
	ZONE LOCATION/LENGTH	FDB NUMBER	ALARM DISPLAY POINT	IDS SENSOR	ALARM ACT LEFT MONITOR	IVATED CAM CENTER MONITOR		ZONE NUMBER	ZONE LOCATION/LENGTH	FDB NUMBER	ALARM DISPLAY POINT	IDS SENSOR				NOTES:	
1	PERIMETER (MAIN GATE) 72'	1	1 2	BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR	16	1	3	19	IGL00 103	9	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
			3 4 5	CAPACITANCE FENCE SENSOR FDB ENCLOSURE TAMPER BISTATIC MICROWAVE TAMPER STRAIN SENSITIVE CABLE SENSOR TAMPER				20	IGL00 103	9	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
			7 8	CAPACITANCE FENCE SENSOR TAMPER GUARD HOUSE DURESS SWITCH				21	IGL00 105	10	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
2	PERIMETER (WEST SIDE) 303'	1	1 2 3	BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR BISTATIC MICROWAVE TAMPER	1	16	17	22	IGL00 106	10	1 2	FDB TAMPER  BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
3	PERIMETER (WEST SIDE) 303'	2	1 2	BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR	16	17	15	23	IGL00 107	10	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
			3 4 5 6	CAPACITANCE FENCE SENSOR FDB ENCLOSURE TAMPER BISTATIC MICROWAVE TAMPER STRAIN SENSITIVE CABLE SENSOR TAMPER				24	IGL00 108	10	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
4	PERIMETER (NORTH SIDE) 245'	2	7	CAPACITANCE FENCE SENSOR TAMPER BISTATIC MICROWAVE	17	15	14	25	IGL00 201	11	1 2 3	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR FDB TAMPER					
			2 3 4	STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR BISTATIC MICROWAVE TAMPER				26	IGL00 202	11	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
5	PERIMETER (NORTH SIDE) 246'	3	1 2 3	BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR	15	14	12	27	IGL00 203	11	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
			5 6 7	FDB ENCLOSURE TAMPER BISTATIC MICROWAVE TAMPER STRAIN SENSITIVE CABLE SENSOR TAMPER CAPACITANCE FENCE SENSOR TAMPER				28	IGL00 204	11	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
6	PERIMETER (NORTH SIDE) 246'	3	1 2	BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR	14	12	11	29	IGL00 205	12	1 2 3	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR FDB TAMPER					
7	PERIMETER (NORTH SIDE) 246'	4	3 4	CAPACITANCE FENCE SENSOR BISTATIC MICROWAVE TAMPER  BISTATIC MICROWAVE	12	11	13	30	IGL00 206	12	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
,	FERIMETER WORTH SIDE/ 240	•	2 3 4	STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR FDB ENCLOSURE TAMPER	12	"	15	31	IGL00 207	12	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
			5 6 7	BISTATIC MICROWAVE TAMPER STRAIN SENSITIVE CABLE SENSOR TAMPER CAPACITANCE FENCE SENSOR TAMPER				32	IGL00 208	12	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
8	PERIMETER (NORTH SIDE) 246'	4	1 2 3	BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR	11	13	9	33	IGL00 301	13	1 2 3	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR FDB TAMPER					
9	PERIMETER (EAST SIDE) 255'	5	1 2	BISTATIC MICROWAVE TAMPER  BISTATIC MICROWAVE STRAIN SENSITIVE CARLE SENSOR	13	9	8	34	IGL00 302	13	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
			∠ 3 4 5	STRAN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR FOB ENCLOSURE TAMPER BISTATIC MICROWAVE TAMPER STRAN SENSITIVE CABLE SENSOR TAMPER CAPACITANCE FENCE SENSOR TAMPER BISTATIC MICROWAVE				35	IGL00 303	13	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
10	PERIMETER (EAST SIDE) 270'	5	7		9	8	10	36	IGL00 304	13	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR BALANCED MAGNETIC SWITCH					
10	TERMINETER TEXAST SIDES 270		2 3 4	STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR BISTATIC MICROWAVE TAMPER		O					2 3	SECURITY SCREEN SENSOR FDB TAMPER					
11	PERIMETER (EAST SIDE) 255'	6	1 2 3	BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR	8	10	7	38	IGL00 306	14	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR BALANCED MAGNETIC SWITCH					
			4 5 6 7	FDB ENCLOSURE TAMPER BISTATIC MICROWAVE TAMPER STRAIN SENSITIVE CABLE SENSOR TAMPER CAPACITANCE FENCE SENSOR TAMPER		7		40	IGL00 308	14	1	SECURITY SCREEN SENSOR  BALANCED MAGNETIC SWITCH					
12	PERIMETER (SOUTH SIDE) 281'	6	1 2	BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR	10		5	41	IGL00 401	15	1	SECURITY SCREEN SENSOR  BALANCED MAGNETIC SWITCH					
13	DEDINETED (COUTH CIDE) 2001	7	3 4	CAPACITANCE FENCE SENSOR BISTATIC MICROWAVE TAMPER  BISTATIC MICROWAVE	4	5	7	42	IGL00 402	15	3	SECURITY SCREEN SENSOR FDB TAMPER  BALANCED MAGNETIC SWITCH					
13	PERIMETER (SOUTH SIDE) 296'	, '	2 3 4	STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR FDB ENCLOSURE TAMPER		4 5		43	IGL00 403	15	1	SECURITY SCREEN SENSOR  BALANCED MAGNETIC SWITCH					
			5 6 7	BISTATIC MICROWAVE TAMPER STRAIN SENSITIVE CABLE SENSOR TAMPER CAPACITANCE FENCE SENSOR TAMPER				44	IGL00 404	15	1 2	SECURITY SCREEN SENSOR  BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
14	PERIMETER (SOUTH SIDE) 296'	7	1 2 3	BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR BISTATIC MICROWAVE TAMBER			5	45	IGL00 405	16	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR					
15	PERIMETER (SOUTH SIDE) 296'	8	1 2	BISTATIC MICROWAVE TAMPER  BISTATIC MICROWAVE STRAIN SENSITIVE CABLE SENSOR	2	6	4	46	IGL00 406	16	1 2	FDB TAMPER  BALANCED MAGNETIC SWITCH					#
			3 4 5	CAPACITANCE FENCE SENSOR FDB ENCLOSURE TAMPER BISTATIC MICROWAVE TAMPER STRAIN SENSITIVE CABLE SENSOR TAMPER				47	IGL00 407	16	1 2	SECURITY SCREEN SENSOR  BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR		Symbol		scription evisions U.S. ARMY EN	Date
16	PERIMETER (WEST SIDE) 171	8	7	CAPACITANCE FENCE SENSOR TAMPER  BISTATIC MICROWAVE	1	3	6	48	IGL00 408	16	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR				HUNT: CORPS OF	SVILLE F ENGINEERS LE, ALABAMA
			2 3 4	STRAIN SENSITIVE CABLE SENSOR CAPACITANCE FENCE SENSOR BISTATIC MICROWAVE TAMPER							1			Site odopt A/E :	US Army Corps of Engineers	STANDARD INST ELECTRONIC S	TALLATION DE SECURITY SYS
17	IGL00 101	9	1 2 3	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR FDB TAMPER										Dwn.by : Ckd.by			
18	IGL00 102	9	1 2	BALANCED MAGNETIC SWITCH SECURITY SCREEN SENSOR										Reviewed by :	Date :	Sheet	Design file
	5				_					3			2	Approved by :	Drawing code	number :	Sheet